

Section 1. Identification

Product identifier

Product Identity Other means of identification Lining Brown Light Not Applicable

Relevant identified uses of the substance or mixture and uses advised against

Pigment dispersion produced for exclusive use for permanent tattoos applications. The product should NOT be used in the eye.

Details of the supplier of the safety data sheet

Company	Name
---------	------

Intenze Product Inc. 215, Rt 17 South Rochelle Park , NJ 07662

Emergency	
24 hour Emergency Telephone	e 1 (800) 222-1222 American Association of Poison Control
No.	Centers
Customer Service:	201 342 4446
Email Address	info@Intenzeproducts.com

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid 4;H227

Combustible Liquid.

Label elements

Warning



H227 Combustible liquid.

[Prevention]:

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking. P280 Wear protective gloves, eye protection, and face protection.

[Response]:

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals. This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Glycerin CAS Number: 56-81-5 Synonyms: Glycerol	10 - 30	Not Classified	No data available
Witch Hazel Distillate CAS Number: 84696-19-5 Synonyms: Hamamelis virginiana, extract	10 - 30	Not Classified	No data available
CI 77492 CAS Number: 51274-00-1 Synonyms: Yellow Iron Oxide, Pigment Yellow 42	7 - 13	Not Classified	No data available
Cl 77491 CAS Number: 1309-37-1 Synonyms: Iron(III) oxide, Pigment Red 101	7 - 13	Not Classified	No data



Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
			available
Ammonium Acrylates Copolymer CAS Number: Proprietary Synonyms: Propenoic acid, 2-methyl-, polymer with butyl 2-pr	3 - 7	Not Classified	No data available
CI 21095 CAS Number: 5468-75-7 Synonyms: Pigment Yellow 14	3 - 7	Not Classified	No data available
Ethanol CAS Number: 64-17-5 Synonyms: Ethyl Alcohol	1-5	Flammable Liquid, category 2;H225 Serious eye damage / eye irritation, category 2;H319	No data available
Cl 21110 CAS Number: 3520-72-7 Synonyms: Pigment Orange 13	1 - 5	Not Classified	No data available
Isopropyl Alcohol CAS Number: 67-63-0 Synonyms: Propan-2-ol, isopropanol	1-5	Flammable Liquid, category 2;H225 Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H336	No data available
Propylene Glycol CAS Number: 57-55-6 Synonyms: 1,2-Propanediol	1 - 5	Not Classified	No data available
2-Phenoxyethanol CAS Number: 122-99-6 Synonyms: Ethanol, 2-phenoxy-	< 0.1	Acute toxicity(oral), category 4;H302 Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H335	No data available

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

- **General** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
- **Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position



and obtain immediate medical attention. Give nothing by mouth.

- **Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- **Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- **Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available. Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.



ERG Guide No.

128

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage. Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids. See section 2 for further details. - [Prevention]:

Conditions for safe storage, including any incompatibilities

Store in a cool dry area, away from heat, sparks and open flame. Keep containers sealed when not in use. Store out of direct sunlight. Incompatible materials: No available information See section 2 for further details. - [Storage]:



Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure

CAS No.	Ingredient	Source	Value
56-81-5	Glycerin	OSHA	5 mg/m³(Respirable fraction), 15 mg/m³(total dust)
		ACGIH	TWA: 3 mg/m³(respirable) 10 mg/m³(mist)
		NIOSH	No established RELs
57-55-6	Propylene Glycol	OSHA	No Established Limit
		ACGIH	TWA(Aerosol): 10 mg/m ³
		NIOSH	No Established Limit
64-17-5	Ethanol	OSHA	1000 ppm, 1900 mg/m³
		ACGIH	1000 ppm
		NIOSH	TWA 1000 ppm (1900 mg/m³)
67-63-0	Isopropyl Alcohol	OSHA	400 ppm, 980 mg/m ³
		ACGIH	200 ppm 400 ppm
		NIOSH	TWA 400 ppm (980 mg/m³) STEL: 500 ppm (1225 mg/m³)
122-99-6	2-Phenoxyethanol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
1309-37-1	CI 77491	OSHA	15 mg/m³(total dust), 10 mg/m³(fume), 5 mg/m³(respirable fraction)
		ACGIH	5 mg/m³(R) Respirable fraction
		NIOSH	TWA 5 mg/m ³
3520-72-7	CI 21110	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
5468-75-7	CI 21095	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
51274-00-1	CI 77492	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
Proprietary	Ammonium Acrylates Copolymer	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
84696-19-5	Witch Hazel Distillate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³OSHA PEL and 5 mg/m³ACGIH.

Exposure controls



- **Respiratory** If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
- **Eyes** Protective safety glasses recommended
- **Skin** Protective gloves recommended.
- **Engineering** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
- Other WorkUse good personal hygiene practices. Wash hands before eating, drinking,
smoking or using toilet. Promptly remove soiled clothing and wash
thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State	Liquid
Color	Characteristic
Odor	Characteristic
Melting point / freezing point	No available information
Initial boiling point and boiling range	No available information
Flammability (solid, gas)	No available information
Upper/lower flammability or explosive	Lower Explosive Limit:No available
limits	information
	Upper Explosive Limit:No available
	information
Flash Point	°F °C, Test method: (Open/Close cup)
Auto-ignition temperature	No available information
Decomposition temperature	No available information
рН	No available information
Viscosity (cSt)	No available information
Solubility in Water	No available information
Partition coefficient n-octanol/water (Log	No available information
Kow)	
Vapor pressure (Pa)	No available information
Relative Density	No available information
Vapor Density	No available information



Evaporation rate (Ether = 1) Oxidising properties Explosive properties No available information No available information No available information

Other information

VOC (Volatile Organic Compound) < 5 % (w/w)

Section 10. Stability and reactivity

Reactivity Hazardous Polymerization will not occur. Chemical stability Stable under normal circumstances. Possibility of hazardous reactions No available information Conditions to avoid Avoid high temperatures and contact with incompatible material Incompatible materials No available information Hazardous decomposition products No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.



Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Glycerin - (56-81-5)					
	27,200.00, Rat - Category: NA	45,000.00, Guinea Pig - Category: NA	No data available	No data available	No data available
Witch Hazel Distillate - (84696-19- 5)	No data available	No data available	No data available	No data available	No data available
CI 77492 - (51274-00-1)	> 10,000, Rat - Category: NA	No data available	No data available	No data available	No data available
Cl 77491 - (1309-37-1)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
Ammonium Acrylates Copolymer - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Cl 21095 - (5468-75-7)	No data available	No data available	No data available	No data available	No data available
Ethanol - (64-17-5)					
	10,470.00, Rat - Category: NA	17,100.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available
CI 21110 - (3520-72-7)					
	No data available	No data available	No data available	No data available	No data available
lsopropyl Alcohol - (67-63-0)	5,840.00, Rat - Category: NA	16,400.00, Rabbit - Category: NA	72.60, Rat - Category: NA	No data available	No data available
Propylene Glycol - (57-55-6)	22,000.00, Rat - Category: NA	> 2,000.00, Rabbit - Category: NA	No data available	No data available	No data available
2-Phenoxyethanol - (122-99-6)					
	1,394.00, Rat -	14,391.00, Rat - Category:	No data available	No data	No data



Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
	Category: 4	NA		available	available

Carcinogen Data

CAS No.	Ingredient	Source	Value
56-81-5	31-5 Glycerin		Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
57-55-6	Propylene Glycol	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
64-17-5	Ethanol	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	A3
67-63-0	Isopropyl Alcohol	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes;
		ACGIH	A4
122-99-6	2-Phenoxyethanol	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
1309-37-1	CI 77491	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes;
		ACGIH	A4
3520-72-7	CI 21110	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
5468-75-7	CI 21095	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
51274-00-1	CI 77492	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
Proprietary	Ammonium Acrylates Copolymer	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
84696-19-5	Witch Hazel Distillate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable



Acute toxicity (dermal)	 Not Applicable
Acute toxicity (inhalation)	 Not Applicable
Skin corrosion/irritation	 Not Applicable
Serious eye damage/irritation	 Not Applicable
Respiratory sensitization	 Not Applicable
Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

Possible routes of entry:No available information

Symptoms and effects, both acute and delayed:

Treat symptomatically.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,	
	mg/l	mg/l	mg/l	
Glycerin - (56-81-5)	54,000.00, Oncorhynchus	1,955.00, Daphnia magna	Not Available	
	mykiss			
Witch Hazel Distillate - (84696-19-5)				
	Not Available	Not Available	Not Available	
CI 77492 - (51274-00-1)				
	1,000.00, Leuciscus idus	Not Available	Not Available	
CI 77491 - (1309-37-1)				
	Not Available	101.00, Daphnia magna	Not Available	
Ammonium Acrylates Copolymer -				



Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,	
	mg/l	mg/l	mg/l	
(Proprietary)	Not Available	Not Available	Not Available	
CI 21095 - (5468-75-7)				
	Not Available	Not Available	Not Available	
Ethanol - (64-17-5)				
	15,400.00, Lepomis macrochirus	> 10,000, Daphnia magna	17.92 (96 hr), Ulva pertusa	
Cl 21110 - (3520-72-7)				
	Not Available	Not Available	Not Available	
Isopropyl Alcohol - (67-63-0)				
	10,000.00, Pimephales promelas	Not Available	Not Available	
Propylene Glycol - (57-55-6)				
	40,613.00, Salmo gairdneri	18,340.00, Ceriodaphnia dubia	24,200.00 (72 hr), Raphidocelis subcapitata	
2-Phenoxyethanol - (122-99-6)				
	344.00, Pimephales promelas	488.00, Daphnia magna	> 500.00 (72 hr), Desmodesmus subspicatus	

Persistence and degradability

There is no data available on the preparation itself. **Bioaccumulative potential** No available information **Mobility in soil** No available information **Results of PBT and vPvB assessment** This product contains no PBT/vPvB/vPvM chemicals. **Other adverse effects** No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.



Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	NA1993	Not Regulated	Not Regulated
UN proper	Combustible liquid, n.o.s.,	Not Regulated	Not Regulated
shipping name	(Ethanol)		
Transport hazard	d DOT Hazard	IMDG:Not Applicable	Air Class:Not
class(es)	Class:Combustible liquid	Sub Class:Not	Applicable
	Sub Class:Not Applicable	Applicable	Sub Class: Not Applicable
Packing group	III	Not Applicable	Not Applicable

Environmental hazards

Marine Pollutant: No; Special precautions for user

No available information

Section 15. Regulatory information

Regulatory The regulatory data in Section 15 is not intended to be all-inclusive, only**Overview** selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0000122-99-6	2-Phenoxyethanol	Yes		ACTIVE
Proprietary	Ammonium Acrylates Copolymer	Yes	xu	ACTIVE
0000065-85-0	Benzoic acid	Yes		ACTIVE
0000123-03-5	Cetylpyridinium chloride	Yes		ACTIVE
0005468-75-7	CI 21095	Yes		ACTIVE
0003520-72-7	CI 21110	Yes		ACTIVE
0001309-37-1	CI 77491	Yes		ACTIVE
0051274-00-1	CI 77492	Yes		ACTIVE
0000077-92-9	Citric acid	Yes		ACTIVE



CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0000050-70-4	D-Glucitol	Yes		ACTIVE
0110615-47-9	D-glucopyranose, oligomeric c10-c16 - alkyl glycosides	Yes	UVCB FRI; PMN	ACTIVE
0068515-73-1	D-Glucopyranose, oligomeric, decyl octyl glycosides	Yes	UVCB	ACTIVE
0000538-71-6	Domiphen Bromide	Yes		ACTIVE
0000064-17-5	Ethanol	Yes		ACTIVE
0002650-18-2	FD&C Blue No. 1	Yes		ACTIVE
0002353-45-9	FD&C Green No. 5	Yes		ACTIVE
0001934-21-0	FD&C Yellow No. 5	Yes		ACTIVE
0000056-81-5	Glycerin	Yes		ACTIVE
0000067-63-0	Isopropyl Alcohol	Yes		ACTIVE
0009003-11-6	Polyethylene-polypropylene glycol	Yes	xυ	ACTIVE
0000057-55-6	Propylene Glycol	Yes		ACTIVE
0000128-44-9	Saccharin, sodium	Yes	TP	ACTIVE
0008050-81-5	Simethicone	Νο		
0000532-32-1	Sodium benzoate	Yes		ACTIVE
0084696-19-5	Witch Hazel Distillate	Νο		

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Note: Ethanol (Ethyl alcohol) has been placed on the California Proposition 65 Cancer and Developmental Lists when in alcoholic beverages.

Section 16. Other information



SDS Revision Date

01/09/2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness and dizziness.

End of Document